

FUNGICIDE Group 3

Active Ingredient

myclobutanil: a-butyl-a-(4-chlorophenyl)-Other Ingredients99.61% 62719-461-32802 59144 C A 414 Total EPA Reg. No. 59144-GA-1(A), 32802-MO-1(B), Est No. 37351-CO-1 (C)

Manufactured by: HOWARD JOHNSON'S ENTERPRISES, INC 9675 S. 60th Street, Franklin, WI 53132 Eagle® is a Trademark of Dow AgroSciences LLC

Net Weight 20 lbs (9.07 kg)

Keep Out of Reach of Children CAUTION

Notice: Read the entire label. Use only according to label directions. Before using this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies at end of Directions for Use. If terms are unacceptable, return at once unopened.

In case of emergency endangering health or the environment involving this product,call 1-800-992-5994.

Agricultural Chemical: Do not ship or store with food, feeds, drugs or clothing.

Precautionary Statements Hazards to Humans and Domestic Animals Causes Moderate Eve Irritation

Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-992-5994 day or night, for emergency treatment information.

Environmental Hazards

This pesticide is toxic to fish. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent runoff to water bodies or drainage systems.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all directions carefully before applying this product.

Not for use on turfgrass being grown for sale or other commercial use as sod, or for commercial seed productions, or for research purposes.

Storage and Disposal

Do not contaminate water, food or feed by storage and disposal. Pesticide Storage: Keep away from fire and sparks. Store in a cool, dry, well-ventilated area.

Container Handling: Nonrefillable container. Do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-992-5994 for disposal instructions. Never place unused product down any indoor or outdoor drain.

How This Product Works

Hummert's Dyna Green Eagle 0.39G Granular Systemic Fungicide for Turfgrass is a systemic, protectant and curative fungicide for the control of listed diseases in established home lawns and ornamental turfgrass. Optimum disease control is achieved when this product is applied to established turfgrass in a regularly scheduled preventive program.

Use Hummert's Dyna Green Eagle 0.39G Granular Systemic Fungicide for Turfgrass in conjunction with turf management practices that promote good plant health and optimum disease control. The key to selecting a fungicide is the proper diagnosis of the organism causing the disease. Use diagnostic kits, extension experts, or other identification methods when developing disease control strategies.

How to Apply

Apply Hummert's Dyna Green Eagle 0.39G Granular Systemic Fungicide for Turfgrass uniformly over the turfgrass area using a properly calibrated drop or rotary-type spreader designed to apply granules. Before each application, calibrate the spreader according to the equipment manufacturer's directions. Check frequently to make sure equipment is operating properly and distributing product uniformly. A more uniform application may be achieved by spreading half of the required amount of product over the area and then applying the remaining half in swaths at a right angle to the first. Avoid skips and excessive overlaps during application. Avoid the use of spreaders that apply this product in narrow rows or concentrated bands. Wash hands with soap and water promptly after use.

Do not allow people or pets to contact treated area until after product dust has settled into the turforass, or, if watered in, after the turforass surface in the treated area has dried.

When to Apply

Minimize the interval between applications of Hummert's Dyna Green Eagle 0.39G Granular Systemic Fungicide for Turfgrass when conditions are favorable for disease development. Unless otherwise specified, when disease pressure is high or when used as a curative, use higher rates of Hummert's Dyna Green Eagle 0.39G Granular Systemic Fungicide for Turfgrass and shorter application interval. Under light to moderate disease pressure, apply Eagle 0.39G at the low use rate and/or longer application intervals. To avoid pick-up, lightly irrigate treated areas soon after application. On short cut bentgrass (1/2 inch or less) when temperatures are above 80°F; apply only to dry foliage.

How Much to Apply

Optimum disease control is achieved when Hummert's Dyna Green Eagle 0.39G Granular Systemic Fungicide for Turfgrass is applied in a preventive disease control program at a rate of 4 lb per 1000 sq ft. See the following table for specific application rates for various diseases.

Spreader settings to apply at listed rate(lbs per 1000 sqft.).					
	4	6	8		
Dyna Green [™] Broadcast Spreader	13	14	13x2		
Scotts Accu-Pro	Μ	0	Р		
Scotts 2000	Μ	0	Р		
Spyker 76-22	4	6	7.25		
Lesco 021820	J(20)	L(24)	M(26)		
PSB Bigfoot	Ĺ	0	P		

Under any circumstances, do not apply more than 46 lb of Eagle 0.39G per 1000 sq ft per year.

Do not adjust application rates to meet fertilizer requirements.

Disease	Eagle 0.39G (lb/1000	Application	Directions	Restrictions
	sq ft)	Timing (Days)		*De net
anthracnose red thread	4	14-21 14-21	Apply when conditions are favorable for disease	*Do not apply more
septoria leaf spot	4	14-21	development.	than 46 lb of
brown patch	4	14	Begin applications when conditions are favorable for disease development and before disease symptoms are apparent.	Dyna Green Eagle 0.39G Specialty Fungicide per 1000.sq ft per year. *For Nassau and Suffolk counties in New York State, do not apply more than 11.5 lb of Dyna Green Eagle 0.39G Specialty Fungicide
copper spot	4	14	Apply when conditions are favorable for disease	
zonate leaf spot	4	14	development.	
crown rot	4	14	Apply when conditions are favorable for disease	
leaf spot	4	14	development. For crown rot, water in with 3 to 4	
melting out	4	14	gallons of water per 1000 sq ft to increase penetration to crown and roots.	
dollar spot	4	14-28	Apply when conditions are favorable for disease development. Make no more than 3 consecutive applications for dollar spot control before rotating to a registered fungicide with a different mode of action.	per 1000 sq ft per year.
fusarium blight	4	14-21	Apply when conditions favorable for disease development.	
fusarium patch (pink snow mold)	4	21-28	ior disease development.	
gray leatspot	4	14	Apply prior to snow cover.	
leaf smuts	4	14	Apply in fall after turfgrass enters dormancy and/or in the spring prior to the initiation of growth.	
necrotic ring spot	4	Spring: 28	Make applications on a preventative basis in early to mid-spring.	
	4	Fall:28	Make 2 applications beginning in August before the turfgrass goes dormant.	
powdery mildew rusts	4	14-28	Apply when conditions are favorable for disease development.	
summer patch	ummer patch 4 14-28		Begin applications in the spring when conditions are favorable for disease development. Make 2 to 4 applications depending on recommendations from local turfgrass extension experts. Water in with at least 3 to 4 gallons of water per 1000 sq.ft. to increase spray penetration to crown and roots.	
			crown and roots.	

Terms and Conditions of Use

If terms of the following Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies are not acceptable, return unopened package at once to the seller for a full refund of purchase price paid. Otherwise, use by the buyer or any other user constitutes acceptance of the terms under Warranty Disclaimer, Inherent Risks of Use and Limitations of Remedies.

Warranty Disclaimer

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. Seller MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

Inherent Risks of Use

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperature, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of the Seller. All such risks shall be assumed by buyer.

Limitation of Remedies

To the extent permitted by law, the exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Seller's election, one of the following:

1. Refund of purchase price paid by buyer or user for product bought, or 2. Replacement of amount of product used

Seller shall not be liable for losses or damages resulting from handling or use of this product unless Seller is promptly notified of such loss or damage in writing. In no case shall Seller be liable for consequential or incidental damages or losses.

The terms of the Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of Seller or the seller is authorized to vary or exceed the terms of the Warranty Disclaimer or this Limitation of Remedies in any manner.